SAFETY DATA SHEET

# **Ultrasonic Power Corporation**

IDENTITY (As used on Label and List)

# **SonicPower Degreaser**

Uses: Industrial alkaline detergent concentrate formulated for multi-metal surfaces. Specifically designed for use in manual or ultrasonic cleaning applications. Contact an Ultrasonic Power Corporation specialist for process specific recommendations

# Section I – Product and Company Identification

Manufacturer: Ultrasonic Power Corporation 239 East Stephenson St.	Emergency Telephone Number - Infotrac (800) 535-5053 (USA & Canada) +1 (352) 323-3500 (International)
Freeport, IL 61032	Telephone Number for Information (800) 575-0168
www.upcorp.com	Last update: 03 April 2022

# Section II – Hazards Identification

Appearance - Translucent blue liquid, detergent odor

GHS Classification: Eye damage (Category 1) Acute aquatic toxicity (Category 3)

**HMIS Classification:** Health: 2 Fire: 0 Physical: 0 **NFPA Rating:** Health: 2 Fire: 0 Reactivity: 0

Pictogram:



## Hazard Statements:

H318:Causes serious eye damageH402:Harmful to aquatic life (acute)

## Precautionary statements:

P280:	Wear protective gloves / protective clothing / eye protection / face protection
P305 + P351 + P338:	If eyes are exposed: Rinse continuously with water for 15 minutes
	minimum, ensuring to remove contact lenses if present and easy to do.
P310:	Call poison control center and/or doctor/healthcare professionalimmediately

# **Recommended Personal Protective Equipment:**

PVC-lined, neoprene, nitrile rubber, or polyethylene gloves, chemical splash goggles, and use good handling practices. Wear face guard and chemical apron when appropriate, as well as long pants and boots. Avoid splashing and spilling. Eye wash should be available in area. Wash hands before handling food after using any chemical.

Section III – Composition / Information on Ingredients				
COMPONENTS:	% ACTIVE	OSHA PEL	EC #	C.A.S. #
Sodium silicate	1-10%	N/E	215-687-4	1344-09-8
Trisodium dicarboxymethyl alaninate	1-5%	N/E	605-362-9	164462-16-2
PROPRIETARY BLEND, INERT	Balance	N/E	TRADE	SECRET

## Section IV – First Aid Measures

#### General Advice:

Seek medical attention. Move out of dangerous area. Present a copy of this MSDS to the physician in attendance.

## Contact with eyes:

Immediately flush with large amounts of water for at least 15 minutes, lifting upper and lower lids occasionally. Consult a physician.

# If swallowed:

Never give anything to an unconscious person. Give water to dilute and rinse mouth. Consult a physician.

If inhaled:

Move person to fresh air. If breathing difficult, give oxygen. If not breathing, give artificial respiration. Consult a physician.

Skin contact:

Wash off with plenty of soap and water. Consult a physician if necessary.

# Section V – Fire-fighting Measures

Suitable extinguishing media:

Water spray, alcohol-resistant foam, dry chemical, carbon dioxide

Protective equipment for fire-fighters:

Use self-contained breathing apparatus (SCBA) when necessary

Unusual Fire and Explosion Hazards

Use water spray to cool unopened containers if necessary.

## Section VI – Accidental Release Measures

In case of a leak or spill:

Completely isolate the area of the leak or spill. Remove all non-necessary personnel from the area. Dyke the spilled material with sand, earth, or absorbent material. Soak up or suction material to drums, following all recommendations in Section VIII – Personal Protective Equipment of this MSDS. If possible, avoid draining to sewage and waterways. Material is very slippery. Wear full protective gear. Flush affected area after soaking up with plenty of water. Neutralize all contained solutions to pH 7.

## Section VII - Handling and Storage

## Handling of material:

Avoid contact with eyes, skin, clothing, and other exposed areas of the body. Avoid inhalation of vapor or mist. Use standard measures for fire-fighting purposes. Eye wash should be available in area where product is used. Ensure use of proper personal protective equipment when handling any chemical.

## Storage of material:

Keep material in container, tightly closed, in a dry environment. Do not allow to freeze. Follow all appropriate grounding and bonding procedures during use of any chemical. Follow all appropriate lockout / tagout procedures in all areas. Do not allow access of unauthorized personnel to chemical storage areas. Observe all local, state, and federal regulations. Material may be repackaged in poly containers.

# Section VIII – Exposure controls / Personal Protective Equipment

## Engineering Controls:

In areas where deemed necessary, investigate all engineering controls and techniques in order to reduce risk of exposure to any chemical. Provide necessary ventilation. If necessary, use local exhaust ventilation at sources of air contamination. Consult ACGIH ventilation manual or NFPA Standard 91 for exhaust system designs.

## Face and Eye Protection:

The use of chemical splash / safety goggles is highly recommended, along with accessibility to eye wash stations. If necessary, provide workers with chemical full-face shields. Any long hair should be firmly held behind or on top of the head to avoid exposure.

## Skin Protection:

The use of chemically-resistant clothing and PVC-lined, latex, or Nitrile gloves is highly recommended for use with this product. Consult with glove manufacturers for a list of gloves acceptable for use with any chemical. If necessary, wear full-face shield and rubber aprons with use of chemicals. Wash all clothing that has been exposed to chemicals before reuse.

# Section VIII - Exposure controls / Personal Protective Equipment (con't)

# Respiratory Protection:

Avoid inhalation of vapor from product. When exposure limits in a given area exceed set values, use NIOSH approved respiratory protection. Consult with respiratory protection equipment manufacturer for types of equipment suitable for each chemical. Respiratory protection must comply with 29 CFR 1910.134. When emergency conditions are presented, evacuate areas affected and use appropriate safety measures for respiratory protection such as, but not limited to, self-contained breathing apparatus, air-line respirator, full-face respirator, or other approved methods for each given chemical.

# Section IX – Physical and Chemical Properties

Appearance / Odor pH (10%)	Translucent blue liquid, detergent odor $12.0 \pm 0.5$
Specific Gravity	1.03 ± 0.05
Vapor Pressure	N/E
Vapor Density	>1
Freezing Point	<32°F/0°C
Boiling Point:	>212°F / 100°C
Solubility in Water	complete
Flash Point	N/A
Evaporation Rate (butyl acetate = 1)	<1

# Section X – Stability and Reactivity

Stability	Unstable		
	Stable	х	This chemical is stable under anticipated normal operating conditions

Incompatibility (Materials to Avoid): Very strong oxidizers

Hazardous Decomposition or Byproducts: Carbon monoxide carbon dioxide, nitrogenous oxides can be liberated at extremely high temperatures

Hazardous	May Occur		
Polymerization	Will Not Occur	х	This chemical will not undergo hazardous polymerization under anticipated normal operating conditions

# Section XI – Toxicological Information

Acute Toxicity: No data available

Carcinogenicity:

No component of this product at levels of greater than 0.1% is identified as a human carcinogen by IARC, ACGIH, NTP, or OSHA.

Teratogenicity:

No data available

<u>Specific Target Organ Toxicity – single or repeated exposure (GHS)</u> No data available

# Section XII – Ecological Information

No data available

#### Section XIII – Waste Disposal

Always dispose of all chemicals via State, Local, and Federal Regulations. Any processing done with the use of this chemical in which any substances are added to this material may make this waste management information inaccurate. Local laws must always be consulted when considering waste disposal.

#### Section XIV – Transportation Information

<u>US Department of Transportation (DOT)</u> Not regulated

ICAO/IATA Not regulated

IMDG Not regulated

Harmonization / Tariff Code: 3402905030

#### Section XV – Regulatory Information

OSHA Hazard Communication Standard This product contains "Hazardous Chemicals" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

# Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Sections

<u>311 and 312</u> Immediate (acute) Health Hazard – Yes Delayed (chronic) Health Hazard – Yes Fire Hazard – No Reactive Hazard – No

SARA Title III, section 313 Non-listed chemicals contained in this product are not subject to regulation under SARA Title III, section 313.

TSCA Section 8(b) All of the components of this product are listed on the TSCA Inventory

CERCLA Reportable Quantities

N/E

New Jersey, Pennsylvania, and Massachusetts Right to Know Act Listed Components N/E

Section XVI: Other Information

Prepared by: Ultrasonic Power Corporation Date of preparation: 03 April 2022

Legend: N/A – Not Applicable; N/E – Not Established

THE INFORMATION CONTAINED HEREIN IS BELIEVED TO BE ACCURATE BUT IS NOT WARRANTED, RECIPIENTS ARE ADVISED TO CONFIRM IN ADVANCE OF NEED THAT THE INFORMATION IS CURRENT AND APPLICABLE TO THEIR CIRCUMSTANCES. CHEMICALS SHOULD ONLY BE HANDLED BY APPROPRIATE PERSONNEL. ULTRASONIC POWER CORPORATION HOLDS NO WARRANTY, EXPRESS OR IMPLIED, RESULTING FROM THE MISUSE OF CHEMICALS. ALL USERS OF THIS CHEMICAL SHOULD BE PROVIDED WITH A COPY OF THIS MSDS ALONG WITH ADEQUATE TIME TO REVIEW IT PRIOR TO USE OF THE CHEMICAL.